

PUBLIKATIONEN

Däubner, T., Fink, A., Seitz, A., Tenzer, S., Müller, J., Strand, D., Seckert, C.K., Janssen, C., Renzaho, A., Grzimek, N.K., Simon, C.O., Ebert, S., Reddehase, M.J., **Oehrlein-Karpi, S.A.**, Lemmermann, N.A. (2010). A novel transmembrane domain mediating retention of a highly motile herpesvirus glycoprotein in the endoplasmic reticulum. *J Gen Virol.* (Pt 6):1524-34.

Holtappels, R., Simon, C.O., Munks, M.W., Thomas, D., Deegen, P., Kühnapfel, B., Däubner, T., Emde, S.F., Podlech, J., Grzimek, N.K., **Oehrlein-Karpi, S.A.**, Hill, A.B., Reddehase, M.J. (2008). Subdominant CD8 T-cell epitopes account for protection against cytomegalovirus independent of immunodomination. *J. Virol.* 82:5781-5796.

Böhm, V., Podlech, J., Thomas, D., Deegen, P., Pahl-Seibert, M.F., Lemmermann, N.A., Grzimek, N.K., **Oehrlein-Karpi, S.A.**, Reddehase, M.J., Holtappels, R. (2008). Epitope-specific *in vivo* protection against cytomegalovirus disease by CD8 T cells in the murine model of preemptive immunotherapy. *Med. Microbiol. Immunol.* 197:135-144.

Simon, C.O., Holtappels, R., Tervo, H.M., Böhm, V., Däubner, T., **Oehrlein-Karpi, S.A.**, Kühnapfel, B., Renzaho, A., Strand, D., Podlech, J., Reddehase, M.J., Grzimek, N.K. (2006). CD8 T cells control cytomegalovirus latency by epitope-specific sensing of transcriptional reactivation. *J. Virol.* 80:10436-10456.

Holtappels, R., Gillert-Marien, D., Thomas, D., Podlech, J., Deegen, P., Herter, S., **Oehrlein-Karpi, S.A.**, Strand, D., Wagner M., Reddehase, M.J. (2006). Cytomegalovirus encodes a positive regulator of antigen presentation. *J Virol.* 80:7613-7624.

Herget, T., Esdar, C., **Oehrlein, S.A.**, Heinrich, M., Schütze, S., Maelicke, A., van Echten-Deckert, G. (2000). Production of ceramides causes apoptosis during early neural differentiation *in vitro*. *J. Biol. Chem.* 275:30344-30354.

Esdar, C., **Oehrlein, S.A.**, Reinhardt, S., Maelicke, A., Herget, T. (1998). The protein kinase C (PKC) substrate GAP-43 is expressed in neuronal precursor cells, colocalizes with PKC η and binds calmodulin. *Eur. J. Neurosci.* 11:503-516.

Oehrlein, S.A., Maelicke, A., Herget, T. (1998). Expression of protein kinase C gene family members is temporally and spatially regulated during neural development *in vitro*. *Eur. J. Cell Biol.* 77:323-337.

Li, H., **Oehrlein, S.A.**, Wallerath, T., Ihrig-Biedert, I. Wohlfahrt, P., Jessen, T., Herget, T., Förstermann, U., Kleinert, H. (1998). Activation of protein kinase C α and/or ϵ enhances transcription of the human endothelial nitric oxide synthase gene. *Mol. Pharmacol.* 53, 630-637.

Herget, T., Specht, H., Esdar, C., **Oehrlein, S.A.**, Maelicke, A. (1998). Retinoic acid induces apoptosis associated neural differentiation of a murine teratocarcinoma cell line. *J. Neurochem.* 70, 347-358.

Oehrlein, S.A., Parker, P.J., Herget, T. (1996). Phosphorylation of GAP-43 (growth-associated protein of 43 kDa) by conventional, novel and atypical isoforms of the protein kinase C gene family: differences between oligopeptide and polypeptide phosphorylation. *Biochem. J.* 317, 219-224.

Herget, T., **Oehrlein, S.A.**, Pappin, D.J.C., Rozengurt, E., Parker, P.J. (1995). The myristoylated alanine-rich C kinase substrate (MARCKS) is sequentially phosphorylated by conventional, novel and atypical isoforms of PKC. *Eur. J. Biochem.* 233, 448-457.